

Bird List for Phil Hardberger Park, San Antonio, TX

January, 2024

176 Recorded Species

(Because adequate data is not yet available for the Park, frequency of observation is for Bexar County, TX.)

| Subfamily | Genus | Species | English Name | Sp | Season: | | | Seen | Notes |
|------------------------|----------------------|-------------------------|------------------------------|----|---------|----|----|-------|-------|
| | | | | | Su | Fa | Wi | | |
| ANATIDAE | | | | | | | | | |
| | <i>Dendrocygna</i> | <i>autumnalis</i> | Black-bellied Whistling-Duck | C | C | C | C | _____ | |
| | <i>Anser</i> | <i>albifrons</i> | Greater White-fronted Goose | V | -- | R | R | _____ | |
| | <i>Chen</i> | <i>caerulescens</i> | Snow Goose | R | -- | R | R | _____ | |
| | <i>Alopochen</i> | <i>aegyptiaca</i> | Egyptian Goose (introduced) | U | U | U | U | _____ | |
| | <i>Aix</i> | <i>sponsa</i> | Wood Duck | F | F | F | F | _____ | |
| | <i>Anas</i> | <i>platyrhynchos</i> | Mallard | R | V | R | R | _____ | |
| GALLIFORMES | | | | | | | | | |
| | <i>Colinus</i> | <i>virginianus</i> | Northern Bobwhite | F | C | F | U | _____ | |
| | <i>Meleagris</i> | <i>gallopavo</i> | Wild Turkey | R | R | R | R | _____ | |
| SULIFORMES | | | | | | | | | |
| | <i>Phalacrocorax</i> | <i>brasilianus</i> | Neotropic Cormorant | C | C | C | C | _____ | |
| | <i>Phalacrocorax</i> | <i>auritus</i> | Double-crested Cormorant | C | R | C | C | _____ | |
| PELECANIFORMES | | | | | | | | | |
| | <i>Pelecanus</i> | <i>erythrorhynchos</i> | American White Pelican | C | C | C | C | _____ | |
| | <i>Ardea</i> | <i>herodias</i> | Great Blue Heron | C | C | C | C | _____ | |
| | <i>Ardea</i> | <i>alba</i> | Great Egret | C | C | C | C | _____ | |
| | <i>Egretta</i> | <i>thula</i> | Snowy Egret | C | C | C | -- | _____ | |
| | <i>Egretta</i> | <i>caerulea</i> | Little Blue Heron | F | F | F | R | _____ | |
| | <i>Bubulcus</i> | <i>ibis</i> | Cattle Egret | C | C | C | U | _____ | |
| | <i>Butorides</i> | <i>virescens</i> | Green Heron | C | C | C | R | _____ | |
| CATHARTIDAE | | | | | | | | | |
| | <i>Coragyps</i> | <i>atratus</i> | Black Vulture | C | C | C | C | _____ | |
| | <i>Cathartes</i> | <i>aura</i> | Turkey Vulture | C | C | C | C | _____ | |
| ACCIPITRIFORMES | | | | | | | | | |
| | <i>Pandion</i> | <i>haliaetus</i> | Osprey | F | U | U | F | _____ | |
| | <i>Circus</i> | <i>hudsonius</i> | Northern Harrier | C | V | C | C | _____ | |
| | <i>Ictinia</i> | <i>mississippiensis</i> | Mississippi Kite | U | R | U | -- | _____ | |
| | <i>Accipiter</i> | <i>striatus</i> | Sharp-shinned Hawk | F | V | F | F | _____ | |
| | <i>Accipiter</i> | <i>cooperii</i> | Cooper's Hawk | F | R | F | F | _____ | |
| | <i>Buteo</i> | <i>lineatus</i> | Red-shouldered Hawk | C | C | C | C | _____ | |
| | <i>Buteo</i> | <i>platypterus</i> | Broad-winged Hawk | U | V | U | -- | _____ | |
| | <i>Buteo</i> | <i>swainsoni</i> | Swainson's Hawk | F | U | F | V | _____ | |

| Subfamily | Genus | Species | English Name | Sp | Season: | | | Seen | Notes |
|---------------|----------------------|----------------------|---------------------------|----|---------|----|----|------|-------|
| | | | | | Su | Fa | Wi | | |
| FALCONIDAE | <i>Buteo</i> | <i>albonotatus</i> | Zone-tailed Hawk | R | -- | R | R | ___ | |
| | <i>Buteo</i> | <i>jamaicensis</i> | Red-tailed Hawk | C | F | C | C | ___ | |
| | <i>Caracara</i> | <i>cheriway</i> | Crested Caracara | C | C | C | C | ___ | |
| | <i>Falco</i> | <i>sparverius</i> | American Kestrel | C | R | C | C | ___ | |
| | <i>Falco</i> | <i>columbarius</i> | Merlin | R | -- | R | R | ___ | |
| CHARADRIIDAE | <i>Falco</i> | <i>peregrinus</i> | Peregrin Falcon | R | -- | R | U | ___ | |
| | <i>Charadrius</i> | <i>vociferus</i> | Killdeer | C | C | C | C | ___ | |
| SCOLOPACIDAE | <i>Bartramia</i> | <i>longicauda</i> | Upland Sandpiper | U | R | U | -- | ___ | |
| LARIDAE | <i>Scolopax</i> | <i>minor</i> | American Woodcock | V | -- | -- | R | ___ | |
| | <i>Leucocephaeus</i> | <i>pipixcan</i> | Franklin's Gull | F | R | F | V | ___ | |
| COLUMBIDAE | <i>Larus</i> | <i>delawarensis</i> | Ring-billed Gull | C | R | C | C | ___ | |
| | <i>Columba</i> | <i>livia</i> | Rock Pigeon | C | C | C | C | ___ | |
| | <i>Streptopelia</i> | <i>decaocto</i> | Eurasian Collared-Dove | F | F | F | F | ___ | |
| | <i>Zenaida</i> | <i>asiatica</i> | White-winged Dove | C | C | C | C | ___ | |
| | <i>Zenaida</i> | <i>macroura</i> | Mourning Dove | C | C | C | C | ___ | |
| | <i>Columbina</i> | <i>inca</i> | Inca Dove | C | C | C | C | ___ | |
| | <i>Columbina</i> | <i>passerina</i> | Common Ground-Dove | F | F | F | U | ___ | |
| CUCULIDAE | <i>Coccyzus</i> | <i>americanus</i> | Yellow-billed Cuckoo | C | C | C | V | ___ | |
| STRIGIDAE | <i>Geococcyx</i> | <i>californianus</i> | Greater Roadrunner | F | F | F | F | ___ | |
| | <i>Bubo</i> | <i>virginianus</i> | Great Horned Owl | U | U | U | U | ___ | |
| CAPRIMULGIDAE | <i>Strix</i> | <i>varia</i> | Barred Owl | F | F | F | F | ___ | |
| | <i>Chordeiles</i> | <i>acutipennis</i> | Lesser Nighthawk | F | F | F | V | ___ | |
| | <i>Chordeiles</i> | <i>minor</i> | Common Nighthawk | C | C | C | V | ___ | |
| APODIDAE | <i>Caprimulgus</i> | <i>carolinensis</i> | Chuck-will's-widow | F | F | F | -- | ___ | |
| | <i>Chaetura</i> | <i>pelagica</i> | Chimney Swift | C | C | C | V | ___ | |
| TROCHILIDA | <i>Archilochus</i> | <i>colubris</i> | Ruby-throated Hummingbird | C | R | C | V | ___ | |
| PICIDAE | <i>Archilochus</i> | <i>alexandri</i> | Black-chinned Hummingbird | C | C | C | V | ___ | |
| | <i>Selasphorus</i> | <i>rufus</i> | Rufous Hummingbird | R | R | U | U | ___ | |

| Subfamily | Genus | Species | English Name | Sp | Season: | | | Seen | Notes |
|---------------------|-----------------------|-----------------------|-------------------------------|----|---------|----|----|------|-------|
| | | | | | Su | Fa | Wi | | |
| | <i>Melanerpes</i> | <i>aurifrons</i> | Golden-fronted Woodpecker | C | C | C | C | ___ | |
| | <i>Sphyrapicus</i> | <i>varius</i> | Yellow-bellied Sapsucker | U | -- | U | U | ___ | |
| | <i>Picoides</i> | <i>scalaris</i> | Ladder-backed Woodpecker | C | C | C | C | ___ | |
| | <i>Picoides</i> | <i>pubescens</i> | Downy Woodpecker | U | U | U | F | ___ | |
| | <i>Colaptes</i> | <i>auratus</i> | Northern Flicker | F | -- | F | F | ___ | |
| TYRANNIDAE | | | | | | | | | |
| | <i>Myiarchus</i> | <i>tyrannulus</i> | Brown-crested Flycatcher | F | F | R | -- | ___ | |
| | <i>Contopus</i> | <i>virens</i> | Eastern Wood-Pewee | C | U | U | -- | ___ | |
| | <i>Empidonax</i> | <i>minimus</i> | Least Flycatcher | C | V | V | -- | ___ | |
| | <i>Sayornis</i> | <i>phoebe</i> | Eastern Phoebe | C | F | C | C | ___ | |
| | <i>Pyrocephalus</i> | <i>rubinus</i> | Vermilion Flycatcher | F | R | F | C | ___ | |
| | <i>Myiarchus</i> | <i>cinerascens</i> | Ash-throated Flycatcher | U | U | U | R | ___ | |
| | <i>Myiarchus</i> | <i>crinitus</i> | Great Crested Flycatcher | C | C | F | -- | ___ | |
| | <i>Tyrannus</i> | <i>couchii</i> | Couch's Kingbird | U | U | U | U | ___ | |
| | <i>Tyrannus</i> | <i>verticalis</i> | Western Kingbird | C | C | F | V | ___ | |
| | <i>Tyrannus</i> | <i>tyrannus</i> | Eastern Kingbird | F | R | R | -- | ___ | |
| | <i>Tyrannus</i> | <i>forficatus</i> | Scissor-tailed Flycatcher | C | C | C | R | ___ | |
| | <i>Contopus</i> | <i>cooperi</i> | Olive-sided Flycatcher | U | R | U | -- | ___ | |
| LANIIDAE | | | | | | | | | |
| | <i>Lanius</i> | <i>ludovicianus</i> | Loggerhead Shrike | C | F | C | C | ___ | |
| VIREONIDAE | | | | | | | | | |
| | <i>Vireo</i> | <i>griseus</i> | White-eyed Vireo | C | C | C | C | ___ | |
| | <i>Vireo</i> | <i>bellii</i> | Bell's Vireo | F | F | U | V | ___ | |
| | <i>Vireo</i> | <i>flavifrons</i> | Yellow-throated Vireo | R | R | R | V | ___ | |
| | <i>Vireo</i> | <i>solitarius</i> | Blue-headed Vireo | C | -- | C | F | ___ | |
| | <i>Vireo</i> | <i>huttoni</i> | Hutton's Vireo | U | U | U | U | ___ | |
| | <i>Vireo</i> | <i>gilvus</i> | Warbling Vireo | U | -- | U | V | ___ | |
| | <i>Vireo</i> | <i>olivaceus</i> | Red-eyed Vireo | F | U | F | -- | ___ | |
| CORVIDAE | | | | | | | | | |
| | <i>Cyanocitta</i> | <i>cristata</i> | Blue Jay | C | C | C | C | ___ | |
| | <i>Aphelocoma</i> | <i>woodhouseii</i> | Woodhouse's Scrub-Jay | F | F | F | F | ___ | |
| | <i>Corvus</i> | <i>brachyrhynchus</i> | American Crow | F | F | F | F | ___ | |
| | <i>Corvus</i> | <i>corax</i> | Common Raven | U | U | U | U | ___ | |
| HIRUNDINIDAE | | | | | | | | | |
| | <i>Progne</i> | <i>subis</i> | Purple Martin | C | C | U | R | ___ | |
| | <i>Stelgidopteryx</i> | <i>serripennis</i> | Northern Rough-winged Swallow | F | U | F | V | ___ | |
| | <i>Petrochelidon</i> | <i>pyrrhonota</i> | Cliff Swallow | C | C | C | V | ___ | |
| | <i>Petrochelidon</i> | <i>fulva</i> | Cave Swallow | C | C | C | C | ___ | |
| | <i>Hirundo</i> | <i>rustica</i> | Barn Swallow | C | C | C | R | ___ | |

| Subfamily | Genus | Species | English Name | Sp | Season: | | | Seen | Notes |
|----------------------|------------------------|------------------------|-------------------------|----|---------|----|----|------|-------|
| | | | | | Su | Fa | Wi | | |
| PARIDAE | | | | | | | | | |
| | <i>Poecile</i> | <i>carolinensis</i> | Carolina Chickadee | C | C | C | C | ___ | |
| | <i>Baeolophus</i> | <i>atricristatus</i> | Black-crested Titmouse | C | C | C | C | ___ | |
| | <i>Auriparus</i> | <i>flaviceps</i> | Verdin | F | F | F | F | ___ | |
| SITTIDAE | | | | | | | | | |
| | <i>Sitta</i> | <i>canadensis</i> | Red-breasted Nuthatch | R | -- | R | R | ___ | |
| CERTHIDAE | | | | | | | | | |
| | <i>Certhia</i> | <i>americana</i> | Brown Creeper | R | -- | R | R | ___ | |
| TROGLODYTIDAE | | | | | | | | | |
| | <i>Salpinctes</i> | <i>obsoletus</i> | Rock Wren | R | R | R | R | ___ | |
| | <i>Campylorhynchus</i> | <i>brunneicapillus</i> | Cactus Wren | V | V | V | V | ___ | |
| | <i>Catherpes</i> | <i>mexicanus</i> | Canyon Wren | U | U | U | U | ___ | |
| | <i>Thryothorus</i> | <i>ludovicianus</i> | Carolina Wren | C | C | C | C | ___ | |
| | <i>Thryomanes</i> | <i>bewickii</i> | Bewick's Wren | C | C | C | C | ___ | |
| | <i>Troglodytes</i> | <i>aedon</i> | House Wren | F | V | F | F | ___ | |
| POLIOPTILIDAE | | | | | | | | | |
| | <i>Polioptila</i> | <i>caerulea</i> | Blue-gray Gnatcatcher | C | U | F | F | ___ | |
| REGULIDAE | | | | | | | | | |
| | <i>Regulus</i> | <i>satrapa</i> | Golden-crowned Kinglet | U | -- | R | U | ___ | |
| | <i>Regulus</i> | <i>calendula</i> | Ruby-crowned Kinglet | C | -- | C | C | ___ | |
| TURDIDAE | | | | | | | | | |
| | <i>Catharus</i> | <i>fuscescens</i> | Veery | R | -- | V | V | ___ | |
| | <i>Catharus</i> | <i>ustulatus</i> | Swainson's Thrush | C | V | U | R | ___ | |
| | <i>Catharus</i> | <i>guttatus</i> | Hermit Thrush | C | -- | C | C | ___ | |
| | <i>Turdus</i> | <i>migratorius</i> | American Robin | F | F | F | F | ___ | |
| MIMIDAE | | | | | | | | | |
| | <i>Dumetella</i> | <i>carolinensis</i> | Gray Catbird | F | -- | U | V | ___ | |
| | <i>Toxostoma</i> | <i>curvirostre</i> | Curve-billed Thrasher | F | F | F | F | ___ | |
| | <i>Toxostoma</i> | <i>rufum</i> | Brown Thrasher | R | -- | R | R | ___ | |
| | <i>Mimus</i> | <i>polyglottos</i> | Northern Mockingbird | C | C | C | C | ___ | |
| | <i>Oreoscoptes</i> | <i>montanus</i> | Sage Thrasher | V | -- | V | R | ___ | |
| | <i>Toxostoma</i> | <i>longirostre</i> | Long-billed Thrasher | F | F | F | F | ___ | |
| STURNIDAE | | | | | | | | | |
| | <i>Sturnus</i> | <i>vulgaris</i> | European Starling | C | C | C | C | ___ | |
| BOMBYCILLIDAE | | | | | | | | | |
| | <i>Bombycilla</i> | <i>cedrorum</i> | Cedar Waxwing | C | -- | R | C | ___ | |
| PARULIDAE | | | | | | | | | |
| | <i>Mniotilta</i> | <i>varia</i> | Black-and-white Warbler | C | F | F | U | ___ | |
| | <i>Oreothlypus</i> | <i>peregrina</i> | Tennessee Warbler | F | -- | R | -- | ___ | |
| | <i>Oreothlypus</i> | <i>celata</i> | Orange-crowned Warbler | C | -- | C | C | ___ | |

| Subfamily | Genus | Species | English Name | Sp | Season: | | | Seen | Notes |
|---------------------|--------------------|----------------------|------------------------------|----|---------|----|----|------|-------|
| | | | | | Su | Fa | Wi | | |
| | <i>Oreothlypus</i> | <i>ruficapilla</i> | Nashville Warbler | C | -- | C | R | ___ | |
| | <i>Geothlypis</i> | <i>trichas</i> | Common Yellowthroat | C | — | C | C | ___ | |
| | <i>Setophaga</i> | <i>ruticilla</i> | American Redstart | F | V | U | V | ___ | |
| | <i>Setophaga</i> | <i>americana</i> | Northern Parula | U | U | U | V | ___ | |
| | <i>Setophaga</i> | <i>fusca</i> | Blackburnian Warbler | F | V | R | -- | ___ | |
| | <i>Setophaga</i> | <i>castanea</i> | Bay-breasted Warbler | U | -- | R | -- | ___ | |
| | <i>Setophaga</i> | <i>magnolia</i> | Magnolia Warbler | C | V | U | -- | ___ | |
| | <i>Setophaga</i> | <i>petechia</i> | Yellow Warbler | C | V | C | V | ___ | |
| | <i>Setophaga</i> | <i>pensylvanica</i> | Chestnut-sided Warbler | U | V | R | V | ___ | |
| | <i>Setophaga</i> | <i>pinus</i> | Pine Warbler | R | -- | R | F | ___ | |
| | <i>Setophaga</i> | <i>coronata</i> | Yellow-rumped Warbler | C | -- | C | C | ___ | |
| | <i>Setophaga</i> | <i>dominica</i> | Yellow-throated Warbler | R | -- | V | V | ___ | |
| | <i>Setophaga</i> | <i>chrysoparia</i> | Golden-cheeked Warbler | C | F | -- | -- | ___ | |
| | <i>Setophaga</i> | <i>virens</i> | Black-throated Green Warbler | C | V | F | R | ___ | |
| | <i>Cardellina</i> | <i>canadensis</i> | Canada Warbler | U | -- | R | V | ___ | |
| | <i>Cardellina</i> | <i>pusilla</i> | Wilson's Warbler | C | V | C | R | ___ | |
| | <i>Icteria</i> | <i>virens</i> | Yellow-breasted Chat | F | U | U | V | ___ | |
| EMBERIZIDAE | | | | | | | | | |
| | <i>Pipilo</i> | <i>chlorurus</i> | Green-tailed Towhee | R | -- | R | R | ___ | |
| | <i>Pipilo</i> | <i>maculatus</i> | Spotted Towhee | C | -- | C | C | ___ | |
| | <i>Aimophila</i> | <i>ruficeps</i> | Rufous-crowned Sparrow | F | F | F | U | ___ | |
| | <i>Spizella</i> | <i>passerina</i> | Chipping Sparrow | C | R | U | C | ___ | |
| | <i>Spizella</i> | <i>pallida</i> | Clay-colored Sparrow | F | -- | F | R | ___ | |
| | <i>Spizella</i> | <i>breweri</i> | Brewer's Sparrow | -- | -- | -- | V | ___ | |
| | <i>Spizella</i> | <i>pusilla</i> | Field Sparrow | C | R | U | C | ___ | |
| | <i>Poocetes</i> | <i>gramineus</i> | Vesper Sparrow | C | -- | C | C | ___ | |
| | <i>Chondestes</i> | <i>grammacus</i> | Lark Sparrow | F | F | F | F | ___ | |
| | <i>Calamospiza</i> | <i>melanocorys</i> | Lark Bunting | R | V | R | U | ___ | |
| | <i>Passerculus</i> | <i>sandwichensis</i> | Savannah Sparrow | C | V | C | C | ___ | |
| | <i>Passerella</i> | <i>iliaca</i> | Fox Sparrow | R | -- | R | R | ___ | |
| | <i>Melospiza</i> | <i>melodia</i> | Song Sparrow | F | -- | F | C | ___ | |
| | <i>Ammodramus</i> | <i>savannarum</i> | Grasshopper Sparrow | F | U | U | F | ___ | |
| | <i>Melospiza</i> | <i>lincolnii</i> | Lincoln's Sparrow | C | V | C | C | ___ | |
| | <i>Melospiza</i> | <i>georgiana</i> | Swamp Sparrow | U | -- | U | F | ___ | |
| | <i>Zonotrichia</i> | <i>albicollis</i> | White-throated Sparrow | C | -- | F | C | ___ | |
| | <i>Zonotrichia</i> | <i>querula</i> | Harris's Sparrow | R | -- | R | U | ___ | |
| | <i>Zonotrichia</i> | <i>leucophrys</i> | White-crowned Sparrow | C | -- | C | C | ___ | |
| CARDINALIDAE | | | | | | | | | |
| | <i>Piranga</i> | <i>rubra</i> | Summer Tanager | F | F | U | R | ___ | |
| | <i>Cardinalis</i> | <i>cardinalis</i> | Northern Cardinal | C | C | C | C | ___ | |
| | <i>Passerina</i> | <i>caerulea</i> | Blue Grosbeak | C | F | U | V | ___ | |

| Subfamily | Genus | Species | English Name | Sp | Season: | | | Seen | Notes |
|--------------|-------------------|-------------------|----------------------|----|---------|----|----|------|-------|
| | | | | | Su | Fa | Wi | | |
| ICTERIDAE | <i>Passerina</i> | <i>amoena</i> | Lazuli Bunting | R | -- | V | V | ___ | |
| | <i>Passerina</i> | <i>cyanea</i> | Indigo Bunting | F | U | F | V | ___ | |
| | <i>Passerina</i> | <i>ciris</i> | Painted Bunting | C | C | U | V | ___ | |
| | <i>Spiza</i> | <i>americana</i> | Dickcissel | C | F | R | V | ___ | |
| | <i>Sturnella</i> | <i>magna</i> | Eastern Meadowlark | C | F | C | C | ___ | |
| | <i>Sturnella</i> | <i>neglecta</i> | Western Meadowlark | C | -- | C | C | ___ | |
| | <i>Agelaius</i> | <i>phoeniceus</i> | Red-winged Blackbird | C | C | C | C | ___ | |
| | <i>Quiscalus</i> | <i>quiscula</i> | Common Grackle | U | V | U | F | ___ | |
| | <i>Quiscalus</i> | <i>mexicanus</i> | Great-tailed Grackle | C | C | C | C | ___ | |
| | <i>Molothrus</i> | <i>aeneus</i> | Bronzed Cowbird | U | U | U | R | ___ | |
| | <i>Molothrus</i> | <i>ater</i> | Brown-headed Cowbird | C | C | C | C | ___ | |
| | <i>Icterus</i> | <i>spurius</i> | Orchard Oriole | C | F | U | -- | ___ | |
| | <i>Icterus</i> | <i>bullockii</i> | Bullock's Oriole | C | C | C | R | ___ | |
| | <i>Icterus</i> | <i>galbula</i> | Baltimore Oriole | C | V | U | R | ___ | |
| FRINGILLIDAE | <i>Carpodacus</i> | <i>mexicanus</i> | House Finch | C | C | C | C | ___ | |
| | <i>Spinus</i> | <i>pinus</i> | Pine Siskin | R | -- | R | R | ___ | |
| | <i>Spinus</i> | <i>psaltria</i> | Lesser Goldfinch | C | C | C | C | ___ | |
| | <i>Spinus</i> | <i>tristis</i> | American Goldfinch | C | -- | C | C | ___ | |
| PASSERIDAE | <i>Passer</i> | <i>domesticus</i> | House Sparrow | C | C | C | C | ___ | |

LEGEND

C = Common; to be expected on an outing
F = Fairly common; should be seen on 1/2 or more of outings
U = Uncommon; expected to be seen on less than 1/2 of outings
R = Rare; though usually seen annually is not expected to be seen on a given outing
V = Very rare or vagrant; is so unexpected that it needs convincing documentation